Nuclear Engineering and Design 103 (1987) 335–336
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 103

Alsmeyer, H., BETA experiments in verification of the WECHSL code: Experimental results on the melt-concrete interaction 103 (1987) 115
Ang, M.L., A. Aytekin and A.H. Fox, Analysis of flow distribution in a PWR fuel rod bundle model containing a 90% blockage 103 (1987) 165
Au-Yang, M.K., Development of stabilizers for steam generator tube repair 103 (1987) 189
Awaji, H., see Sato 103 (1987) 291
Aytekin, A., see Ang 103 (1987) 165

Congleton, J., R.N. Parkins and B. Hemsworth, Stress corrosion cracking of Alloy 600 in high temperature water 103 (1987) 310

Decauwers, S., see Preumond 103 (1987) 199
Dermitzakis, S.N., see Desmond 103 (1987) 313
Desmond, T.P. and S.N. Dermitzakis, Effective-length factors for buckling of cable-tray supports 103 (1987) 313

Erbacher, F.J., Cladding tube deformation and core emrgency cooling in a loss of coolant accident of a pressurized water reactor 103 (1987) 55
Ernst, M.L., see Ross 103 (1987) 43

Findlay, J.A., see Kumamaru 103 (1987) 223
Fox, A.H., see Ang 103 (1987) 165

Hagen, S. and P. Hoffman, LWR fuel rod behavior during severe accidents 103 (1987) 85
Hayamizu, T., see Wakabayashi 103 (1987) 151
Hemsworth, B., see Congleton 103 (1987) 301
Hennies, H.-H., Preface to the Topical Issue on the Final Colloquium of the Nuclear Safety Project 103 (1987) 1
Hirano, M., see Watanabe 103 (1987) 281
Hofmann, P., see Hagen 103 (1987) 85
Hohlefeld, F., see Lassmann 103 (1987) 215
Holleck, H., see Skokan 103 (1987) 107

Kawamata, K., see Sato 103 (1987) 291
Kitahara, T., see Wakabayashi 103 (1987) 151
Koizumi, Y., see Konomoto 103 (1987) 239
Kuczera, B. and H. Rininsland, The Nuclear Safety Project at KfK 1972–1986 – Objectives and results 103 (1987) 9
Kumamaru, H., M. Suzuki, T. Yonomoto, K. Tasaka, J.A. Findlay and W.A. Sutherland, Similarity study of ROSA-III and FIST large break counterpart test to BWR large break LOCA 103 (1987) 223
Kurihara, R., S. Ueda and S. Miyazono, Experimental and analytical studies of pipe whip tests under PWR LOCA conditions 103 (1987) 253
Kurumada, A., see Sato 103 (1987) 291

Lassmann, K., A fast and simple iteration scheme for the temperature calculation in a fuel rod 103 (1987) 211
Lassmann, K. and F. Hohlefeld, The revised URGAP-model to describe the gap conductance between fuel and cladding 103 (1987) 215
Lehr, G., Findings and perspectives of reactor safety research and its funding by the German Federal Ministry for Research and Technology (BMFT) 103 (1987) 3
Leistikow, S. and G. Schanz, Oxidation kinetics and related phenomena of Zircaloy-4 fluel cladding exposed to high temperature steam and hydrogen–steam mixtures under PWR accident conditions 103 (1987) 65

Midorikawa, H., see Wakabayashi 103 (1987) 151
Miyazono, S., see Kurihara 103 (1987) 253
Mochizuki, H., see Wakabayashi 103 (1987) 151
Murphy, J., see Ross 103 (1987) 43

Oku, T., see Sato 103 (1987) 291

Parkins, R.N., see Congleton 103 (1987) 301
Pay, A., see Preumont 103 (1987) 199
Preumont, A., A. Pay and A. Decauwers, The seismic analysis of a free standing FBR core (A case study – SNR-2 preliminary design) 103 (1987) 199

Reimann, M., Verification of the WECHSL code on melt–concrete interaction and application to the core melt accident 103 (1987) 127
Rininsland, H., see Kuczera 103 (1987) 9
Ross, D.F., M.L. Ernst and J. Murphy, Current perspectives on nuclear power plant risks and the use of risk-based information in regulation 103 (1987) 43

Sato, S., H. Awaji, K. Kawamata, A. Kurumada and T. Oku, Fracture criteria of reactor graphite under multiaxial stresses 103 (1987) 291
Schanz, G., see Leistikow 103 (1987) 65
Skokan, A. and H. Holleck, The significance of chemical reactions between reactor materials under core melting conditions 103 (1987) 107
Sutherland, W.A., see Kamamaru 103 (1987) 223
Suzuki, M., see Kumamaru 103 (1987) 223

Tanabe, F., see Watanabe 103 (1987) 281
Tanguy, P., Safety experience on EDF's PWRs 103 (1987) 33
Tasaka, K., see Kumamaru 103 (1987) 223
Tasaka, K., see Yonomoto 103 (1987) 239

Ueda, S., see Kurihara 103 (1987) 253

Villaverde, R., Simplified approach for the seismic analysis of equipment attached to elastoplastic structures 103 (1987) 267

Wakabahashi, T., H. Mochizuki, H. Midorikawa, T. Hayamizu, and T. Kitahara, Analysis of the Chernobyl Reactor Accident (I): Nuclear and thermal-hydraulic characteristic and follow-up calculation of the accident 103 (1987) 151
Watanabe, T., M. Hirano and F. Tanabe, Vapor generation model for flashing in the initial blowdown phase 103 (1987) 281
Wilhelm, J., Development and application of filters for air cleaning in nuclear power plants 103 (1987) 139

Yonomoto, T., see Kumamaru 103 (1987) 223
Yonomoto, T., Y. Koizumi and K. Tasaka, Core heat transfer analysis during a BWR LOCA simulation experiment at ROSA-III 103 (1987) 239

Nuclear Engineering and Design 103 (1987) 337–338
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 103

Thermal and fluid design

Cladding tube deformation and core emergency cooling in a loss of coolant accident of a pressurized water reactor, F.J. Erbacher 103 (1987) 55
Similarity study of ROSA-III and FIST large break counterpart tests to BWR large break LOCA, H. Kumamaru, M. Suzuki, T. Yonomoto, K. Tasaka, J.A. Findlay and W.A. Sutherland 103 (1987) 223
Core heat transfer analysis during a BWR LOCA simulation experiment at ROSA-III, T. Yonomoto, Y. Koizumi and K. Tasaka 103 (1987) 239
Vapor generation model for flashing in the initial blowdown phase, T. Watanabe, M. Hirano and F. Tanabe 103 (1987) 281

Heat conduction and transfer

A fast and simple iteration scheme for the temperature calculation in a fuel rod, K. Lassmann 103 (1987) 211
The revised URGAP-model to describe the gap conductance between fuel and cladding, K. Lassmann and F. Hohlefeld 103 (1987) 215

Fluid dynamics

Analysis of flow distribution in a PWR fuel rod bundle model containing a 90% blockage, M.L. Ang, A. Aytekin and A.H. Fox 103 (1987) 165

Engineering mechanics

Analysis of the Chernobyl Reactor Accident (I): Nuclear and thermal-hydraulic characteristics and follow-up calculation of the accident, T. Wakabayashi, H. Mochizuki, H. Midorikawa, T. Hayamizu and T. Kitahara 103 (1987) 151
Development of stabilizers for steam generator tube repair, M.K. Au-Yang 103 (1987) 189
The seismic analysis of a free standing FBR core (A case study – SNR-2 preliminary design), A. Preumont, A. Pay and A. Decauwers 103 (1987) 199
Experimental and analytical studies of pipe whip tests under PWR LOCA conditions, R. Kurihara, S. Ueda and S. Miyazono 103 (1987) 253
Simplified approach for the seismic analysis of equipment attached to elastoplastic structures, R. Villaverde 103 (1987) 267
Effective-length factors for buckling of cable-tray supports, T.P. Desmond and S.N. Dermitzakis 103 (1987) 313

Materials properties

Oxidation kintics and related phenomena of Zircaloy-4 fluel cladding exposed to high temperature steam and hydrogen–steam mixtures under PWR accident conditions, S. Leistikow and G. Schanz 103 (1987) 65
Fracture criteria of reactor graphite under multiaxial stresses, S. Sato, H. Awaji, K. Kawamata, A. Kurumade and T. Oku 103 (1987) 291
Stress corrosion cracking of Alloy 600 in high temperature water, J. Congleton, R.N. Parkins and B. Hemsworth 103 (1987) 301

Mechanical design, component fabrication and testing

The Nuclear Safety Project at KfK 1972–1986 – Objectives and results, B. Kuczera and H. Rininsland 103 (1987) 9
Cladding tube deformation and core emergency cooling in a loss of coolant accident of a pressurized water reactor, F.J. Erbacher 103 (1987) 55
Oxidation kinetics and related phenomena of Zircaloy-4 fuel cladding exposed to high temperature steam and hydrogen–steam mixtures under PWR accident conditions, S. Leistikow and G. Schanz 103 (1987) 65
The significance of chemical reactions between reactor materials under core melting conditions, A. Skokan and H. Holleck 103 (1987) 107
Development and application of filters for air cleaning in nuclear power plants, J. Wilhelm 103 (1987) 139

Reactor concepts and systems analysis

Safety experience on EDF's PWRs, P. Tanguy 103 (1987) 33

Safeguard engineering

Current perspectives on nuclear power plant risks and the use of risk-based information in regulation, D.F. Ross, M.L. Ernst and J. Murphy 103 (1987) 43
LWR fuel rod behavior during severe accidents, S. Hagen and P. Hofmann 103 (1987) 85
Verification of the WECHSL code on melt–concrete interaction and application to the core melt accident, M. Reimann 103 (1987 127

Layout of nuclear facilities

Safety experience on EDF's PWRs, P. Tanguy 103 (1987) 33

Isotope engineering

The Nuclear Safety Project at KfK 1972–1986 – Objectives and results, B. Kuczera and H. Rininsland 103 (1987) 9
Development and application of filters for air cleaning in nuclear power plants, J. Wilhelm 103 (1987) 139

Miscellaneous

Findings and perspectives of reactor safety research and its funding by the German Federal Ministry for Research and Technology (BMFT), G. Lehr 103 (1987) 3

System control and controls

BETA experiments in verification of the WECHSL code: Experimental results on the melt–concrete interaction, H. Alsmeyer 103 (1987) 115

Core physics and fuel design

The Nuclear Safety Project at KfK 1972–1986 – Objectives and results, B. Kuczera and H. Rininsland 103 (1987) 9
Cladding tube deformation and core emergency cooling in a loss of coolant accident of a pressurized water reactor, F.J. Erbacher 103 (1987) 55
Oxidation kinetics and related phenoman of Zircaloy-4 fuel cladding exposed to high temperature steam and hydrogen–steam mixtures under PWR accident conditions, S. Leistikow and G. Schanz 103 (1987) 65
LWR fuel rod behavior during sever accidents, S. Hagen and P. Hofmann 103 (1987) 85
The significance of chemical reactions between reactor materials under core melting conditions, A. Skokan and H. Holleck 103 (1987) 107
Verification of the WECHSL code on melt–concrete interaction and application to the core melt accident, M. Reimann 103 (1987) 127
A fast and simple iteration scheme for the temperature calculation in a fuel rod, K. Lassmann 103 (1987) 211

Nuclear safety

Preface to the Topical Issue on the Final Colloquium of the Nuclear Safety Project, H.-H. Hennies 103 (1987) 1
The Nuclear Safety Project at KfK 1972–1986 – Objectives and results, B. Kuczera and H. Rininsland 103 (1987) 9
Safety experience on EDF's PWRs, P. Tanguy 103 (1987) 33
Current perspectives on nuclear power plant risks and the use of risk-based information in regulation, D.F. Ross, M.L. Ernst and J. Murphy 103 (1987) 43
LWR fuel rod behavior during severe accidents, S. Hagen and P. Hofmann 103 (1987) 85
The significance of chemical reactions between reactor materials under core melting conditions, A. Skokan and H. Holleck 103 (1987) 107
BETA experiments in verification of the WECHSL code: Experimental results on the melt–concrete interaction, H. Alsmeyer 103 (1987) 115
Verification of the WECHSL code on melt–concrete interaction and application to the core melt accident, M. Reimann 103 (1987) 127
Development and application of filters for air cleaning in nuclear power plants, J. Wilhelm 103 (1987) 139
Similarity study of ROSA-III and FIST large break counterpart tests to BWR large braek LOCA, H. Kumamaru, M. Suzuki, T. Yonomoto, K. Tasaka, J.A. Findlay and W.A. Sutherland 103 (1987) 223
Core heat transfer analysis during a BWR LOCA simulation experiment at ROSA-III, T. Yonomoto, Y. Koizumi and K. Tasaka 103 (1987) 239